

L Number	Hits	Search Text	DB	Time stamp
1	3056	(flex\$5 same segment\$3 same curv\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/23 10:26
2	1049	(flex\$5 with segment\$3 with curv\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/23 10:26
3	352	((flex\$5 with segment\$3 with curv\$5)) and (rail or arm or pole)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/23 11:17
13	3374	articulat\$3 with segment\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/23 11:17
14	1489	(articulat\$3 with segment\$3) and flex\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/23 11:17
15	771	((articulat\$3 with segment\$3) and flex\$5) and pivot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/23 11:19
16	388	((articulat\$3 with segment\$3) and flex\$5) and pivot\$3) and (elongate\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/23 11:20
17	183	((articulat\$3 with segment\$3) and flex\$5) and pivot\$3) and (elongate\$3)) and rod	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/23 11:20
18	131	(snake or (goose adj neck)) with segment\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/23 11:27

L Number	Hits	Search Text	DB	Time stamp
1	2	(cover with foam) same (articulat\$4 with (bar or elongat\$3 or rod))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:16
2	802	cover same (articulat\$4 with (bar or elongat\$3 or rod))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:17
3	274	(cover same (articulat\$4 with (bar or elongat\$3 or rod))) and (flex\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:17
4	18	((cover same (articulat\$4 with (bar or elongat\$3 or rod))) and (flex\$4)) and foam	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:18
5	27683	cover with wheel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:18
6	5136	(cover with wheel) and steering	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:18
7	541	((cover with wheel) and steering) and foam	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:18
8	328	((((cover with wheel) and steering) and foam) and (opening or cut)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:19
9	52	(((((cover with wheel) and steering) and foam) and (opening or cut)) and segment\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:21
10	2039	(rod with flex\$4) same cover	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:30
11	211	((rod with flex\$4) same cover) and segment\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:21
12	17	((((rod with flex\$4) same cover) and segment\$3) and foam	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:22
13	234	(handle with cover) with foam	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:23
14	759	(rod with bend\$4) same cover	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:30
15	36	((rod with bend\$4) same cover) and foam	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:33

16	245	((rod with bend\$4) same cover) and (notch or cutting or aperture)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:52
17	171	((side near3 rail) with cover\$3) same (cutting or notch or cut)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 11:58
18	82	((side near3 rail) with cover\$3) same foam	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 12:00
19	1703	((side adj rail) with cover\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 12:01
20	208	((side adj rail) with cover\$3)) and foam	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 12:00
21	209	((hand adj rail) with cover\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 12:02